

## **Visual Field Test for Detection of Visual Disorders**

Our new HUMPHREY FDT VISUAL FIELD ANALYZER utilizes computer technology to electronically measure retinal function and contrast sensitivity.

We strongly encourage and recommend that many of our patients receive the screening version of this exam. It is especially important for people who have:

- Glaucoma
- Brain Tumors
- Diabetic Retinopathy
- Headaches
- Flashes of lights or floaters
- Family hx of diabetes
- high blood pressure
- Heart problems and/or circulatory problems
- Strong eyeglass prescription (stronger than  $\pm 4.00$ )
- Medications (plaquenil, prednisone, coumadin and others)

There is an additional charge of **\$15.00** for this screening exam which may not be covered by insurance.

---

**Yes**, I Do want the Visual Field Exam.     **No**, I Do Not want the Visual Field Exam

---

---

### ***DILATION***

---

In order to thoroughly examine the internal structure of the eye, it is necessary to enlarge the pupil of the eye (dilation). This allows the doctor to observe the peripheral area of the retina that would otherwise be hidden from view. You may experience blurred vision for reading. Your distance vision will usually not be blurred, but it may seem a little distorted and it may be more sensitive to light.

You will be able to drive after having your eyes dilated, but you should use extra caution. This also applies to all other physical activities such as walking, climbing stairs or curbs, etc.

There is no additional charge.

---

**Yes**, I Do want the Dilation.     **No**, I Do Not want the Dilation

Patient's signature: \_\_\_\_\_

Date: \_\_\_\_\_